

JTB— Large Format Tile Adhesive

大板专用瓷砖胶



产 品 说 明 书

Product Manual

金砵宝大板专用瓷砖胶粘结强度高、硬化速度快，可大大提高各种铺贴材料的使用寿命和装饰效果，是国标 C1 的标准，施工方便，只需加入适量清水搅拌即可使用，可实现超薄层施工，涂层厚度是传统工艺的 1/2 以下，节约成本，无毒无味无污染，是真正的绿色环保产品。

产品简介

Product

introduction

JTB Large Format Tile Adhesive features high bonding strength and fast hardening speed, which can significantly enhance the service life and decorative effect of various tiling materials.

It meets the national standard C1 and is easy to apply. Just add an appropriate amount of water and stir for use.

It can achieve ultra-thin layer construction, with a coating thickness less than half of that of traditional methods, saving costs. It is non-toxic, odorless and pollution-free. It is a truly green and environmentally friendly product.

产品特点

Product

features

- 抗冲击力强
- 抗渗性能强
- 粘结力强
- 抗老化性能强
- 健康环保



- High Impact Resistance
- Excellent Impermeability
- Strong Bonding Strength
- Excellent Aging Resistance
- Eco-Friendly & Safe

适用范围

Scope of

application

- 适用于室内外大型陶瓷砖、岩板砖铺贴；
- 适用于各类建筑物的内外墙面、水池、厨卫间、地下室等的防水层铺贴；
- 适用于外保温系统护面层上瓷砖粘贴等。

JTB— Large Format Tile Adhesive

大板专用瓷砖胶



产 品 说 明 书

Product Manual

-
- | | |
|-----------------------------|--|
| 适用范围 | <ul style="list-style-type: none">● Installation of large-format ceramic tiles and sintered stone slabs for interior and exterior areas; |
| Scope of application | <ul style="list-style-type: none">● Waterproof layer installation for walls, water tanks, kitchens, bathrooms, and basements;● Tile bonding on exterior thermal insulation systems. |
-
- | | |
|--------------------------------|--|
| 施工工艺 | <ul style="list-style-type: none">● 基层处理: 基面应该平整、干净、结实、无粉尘、无明水、油脂等污垢物及其他松散物；新混凝土应养护至少 28 天，铺贴前应做好界面处理。● 搅拌混合: 先将水按比例加入容器中,然后慢慢倒入粉料，再用电动工具把材料搅拌至均匀无结粒状，静置 5 分钟，再搅拌一次即可施工。● 施工: 用刮刀将搅拌好的金砼宝大板专用瓷砖胶批刮于基面上（每次批刮约 1 片砖的范围），然后用齿形刮刀把金砼宝大板专用瓷砖胶刮到所需的厚度，需要在砖背面刮浆、再将瓷砖贴上涂层上，确保满浆，并用小木锥轻敲以保证瓷砖与瓷砖胶接触良好。 |
| Construction technology | <ul style="list-style-type: none">● Base treatment: The base surface should be flat, clean, solid, free of dust, standing water, grease and other dirt, as well as other loose materials. New concrete should be cured for at least 28 days, and interface treatment should be done before laying.● Mixing and stirring: First, add water to the container in proportion, then slowly pour in the powder. Use an electric tool to stir the materials until they are uniform and free of lumps. Let it stand for 5 minutes and stir once more before construction.● Construction: Use a trowel to apply the well-mixed Golden Concrete Treasure Large Format Tile Adhesive on the base surface |
-

JTB— Large Format Tile Adhesive

大板专用瓷砖胶



产 品 说 明 书

Product Manual

施工工艺

Construction

technology

- (each application should cover the area of about one tile), then use a toothed trowel to spread the Golden Concrete Treasure special Tile Adhesive for large slabs to the required thickness. It is necessary to apply slurry on the back of the tile, then attach the tile to the coating to ensure full slurry, and gently tap with a small wooden cone to ensure good contact between the tile and the tile adhesive.

包装与储存

Packaging

and storage

袋装 20kg/袋；

宜在室内阴凉、干燥、通风处保存；

可在零度以下环境中存放；

保质期：12 个月。

The mortar is packed in composite kraft paper bags, 25kg per bag.

The emulsion is packed in plastic drums, 5 kilograms per drum (with two packaging specifications).

The valid storage period is 6 months from the date of production.

After the expiration date, it should be re-inspected and found qualified before use.

It should be stored in a cool, dry and well-ventilated warehouse.

It must not be exposed to direct sunlight or rain. In winter, precautions should be taken to prevent freezing.

安全规范

Safety

specification

本品属无毒、非危险品，按一般化学建材运输；

运输途中不得曝晒、雨淋或倒置；

施工时应佩戴好口罩、护目镜和手套；

JTB— Large Format Tile Adhesive

大板专用瓷砖胶



产 品 说 明 书

Product
Manual

安全规范

Safety

specification

如果接触到皮肤或眼睛,立即用大量清水冲洗,情况特别严重时应及时就医。

This product is non-toxic and non-hazardous, and is transported as a general chemical building material. During transportation, it must not be exposed to direct sunlight, rain or inverted.

When working, masks, goggles and gloves should be worn properly.

If it comes into contact with the skin or eyes, rinse immediately with plenty of water. Seek medical attention promptly if the situation is particularly serious.



产品施工视频

Product construction video



企业公众号

Enterprise Official Account

Service Hotline: 400-772-5558