

JTB – Rapid Repair Mortar for Airport Runways & Bridges

机场路桥抢修料



产 品 说 明 书

Product Manual

产品简介

金砵宝机场路桥抢修料是一种由高强胶结材料、多种外加剂复合和特选骨料经特殊工艺配制而成的优质材料。

Product introduction

JTB Airport road and bridge repair materials is a high-quality material formulated through a special process by combining high-strength binding materials, multiple admixtures and specially selected aggregates.

产品特点

- 超早强
- 耐腐蚀耐磨性好
- 粘结性好
- 抗渗抗冲击
- 韧性高

Product

features

- Ultra-early strength
- Good corrosion & wear resistance
- High bonding strength
- Waterproof & impact resistant
- High toughness



适用范围

- 混凝土路面快速修补、公路、桥梁、机场、路面快速修补；
- 紧急抢修工程、限时作业工程（如：设备定修）；
- 冬季抢时工程；
- 各种机械、电气设备（重型设备、高精度磨床）一、二次灌浆；
- 钢结构安装工程；民用建筑的加固；柱基、桩基、岩基灌浆固定；防渗、防漏工程。

Scope of application

- Concrete pavements, highways, bridges, airports repair
- Emergency & time-limited works
- Winter construction

JTB – Rapid Repair Mortar for Airport Runways & Bridges

机场路桥抢修料



产 品 说 明 书

Product
Manual

-
- | | |
|----------------------|--|
| 适用范围 | <ul style="list-style-type: none">● Primary & secondary grouting for machinery & equipment |
| Scope of application | <ul style="list-style-type: none">● Steel structure & building reinforcement; column/pile/rock foundation grouting● Waterproofing & leak prevention |
-
- | | |
|-------------------------|---|
| 施工工艺 | <ul style="list-style-type: none">● 清理基层: 施工前清除基层表面的灰尘、油脂以及疏松部分, 确保基面干净整洁、坚固平整。● 配比和搅拌: 称取金砵宝机场路桥抢修料, 以及其重量 12% 的水, 充分搅拌均匀, 搅拌时间大约为 3 分钟。● 施工: 将搅拌好的金砵宝机场路桥抢修料均匀地批刮在需要修补的基层上, 拉毛刻纹做基层的防滑处理, 两小时后即可通车。● 养护: 施工完后使用塑料薄膜进行覆盖养护或表面洒水养护即可。 |
| Construction technology | <ul style="list-style-type: none">● Clean the base surface: Before construction, remove dust, grease and loose parts from the base surface to ensure that the base surface is clean, tidy, solid and flat.● Proportioning and mixing: Weigh the JTB Rapid Repair Mortar for Airport Runways & Bridges and 12% of its weight in water, and thoroughly mix them evenly. The mixing time is approximately 3 minutes.● Construction: Evenly apply the well-mixed JTB Rapid Repair Mortar for Airport Runways & Bridges on the base that needs to be repaired. Roughen and carve a pattern for anti-slip treatment of the base. Traffic can be opened two hours later.● Maintenance: After construction, cover and maintain with plastic film or sprinkle water on the surface for maintenance. |
-

JTB – Rapid Repair Mortar for Airport Runways & Bridges

机场路桥抢修料



产 品 说 明 书

Product Manual

注意事项

Precautions

金砵宝机场路桥抢修料现场使用时，严禁在抢修料中掺入任何外加剂、外掺剂；

不得与其他厂家生产的类似产品混用，以确保工程质量；

养护浇灌后，2 小时内不得使设备和灌浆层受到振动、碰撞，应用湿润的草袋或布覆盖。

When using the JTB Rapid Repair Mortar for Airport Runways & Bridges on site, it is strictly prohibited to add any admixtures or additives to the repair material.

It must not be mixed with similar products produced by other manufacturers to ensure the quality of the project.

After the curing and pouring, the equipment and the grouting layer must not be subjected to vibration or collision within 2 hours. They should be covered with moist straw bags or cloth.

包装与储存

Packaging and storage

包装：牛皮纸塑膜袋，包装规格为 50 公斤±1 公斤/袋；25 公斤±1 公斤/袋。

储存：储存在干燥通风处，避免日晒，注意防潮、防水，储存期 6 个月。

Packaging: Kraft paper-plastic film bags, with packaging specifications of 50 kilograms ±1 kilogram per bag. 25 kilograms ±1 kilogram per bag.

Storage: Store in a dry and well-ventilated place, away from direct sunlight. Pay attention to moisture and water prevention. The storage period is 6 months.

安全规范

Safety

specification

施工时应佩戴好口罩、护目镜和手套；

如果接触到皮肤或眼睛,立即用大量清水冲洗,情况特别严重时应及时就医。

JTB – Rapid Repair Mortar for Airport Runways & Bridges

机场路桥抢修料



安全规范

When working, masks, goggles and gloves should be worn properly.

Safety

If it comes into contact with the skin or eyes, rinse immediately with plenty of water. Seek medical attention promptly if the situation is

specification

particularly serious.

产 品 说 明 书

Product
Manual



产品施工视频

Product construction video



企业公众号

Enterprise Official Account

Service Hotline: 400-772-5558