

Gypsum-based retarder

JTBW-215H 石膏基缓凝剂



产 品 说 明 书

Product
Manual

产品简介 JTBW-215H 石膏基缓凝剂是长肽链植物蛋白类缓凝剂，能有效延缓半水石膏凝结时间。

Product JTBW-215H Gypsum-based retarder is a long-peptide chain plant

Introduction proteinRetarder, which can effectively delay the setting time of hemihydrate gypsum.

- 产品特点**
- 高纯度，掺量极低 (0.02-0.03%)
 - High purity, extremely low dosage (0.02-0.03%).
 - 可快速分散，起效快（搅拌时间短）
 - It can be quickly dispersed and takes effect rapidly (short stirring time).
 - 强度损失率较低
 - The strength loss rate is relatively low.
 - 和其它添加剂适应性好
 - It has good compatibility with other additives.

适用范围 JTBW-215H 石膏基缓凝剂适用于各类石膏基砂浆，应用举例如下：

- 底层/面层石膏基自流平砂浆
- 石膏基抹灰砂浆
- 纸面石膏板/石膏墙板

Scope of application JTBW-215H Gypsum-based retarder is suitable for all kinds of gypsum-based mortars. Application examples are as follows:

- Base/Surface layer gypsum-based self-leveling mortar
- Gypsum-based plastering mortar
- Paper-faced gypsum board/gypsum wallboard

Gypsum-based retarder

JTBW-215H 石膏基缓凝剂



产 品 说 明 书

Product Manual

推荐掺量

Recommend ed dosage

掺量随使用情况而定。

以砂浆质量为基准，推荐掺量 0.02 - 0.03%。

提示:具体条件下合适掺量请预先试验确认，请联系我们的技术服务部门寻求更多的支持和帮助。

The dosage depends on the usage conditions.

Based on the quality of the mortar, the recommended dosage is 0.02 - 0.03%.

Note: The appropriate dosage under specific conditions should be confirmed through pre-testing. Please contact our technical service department for more support and assistance.

产品参数

Product parameters

状态：粉末

颜色：黄白色

干燥失重：最大 8.5%

堆积密度：700-1000kg/m³

pH 值(20℃),2%水溶液：6.0-7.3

包装：20 kg/袋

储存：在原密闭包装情况下，常温(低于 40℃)干燥保存

储存有效期：1 年

储存等级：11(不燃固体)

运输规则：根据运输条例，产品属非危险品

State: Powder

Color: yellowish-white

Drying weight loss: maximum 8.5%

Bulk density: 700-1000kg/m³

Gypsum-based retarder

JTBW-215H 石膏基缓凝剂



产 品 说 明 书

Product Manual

	the original sealed packaging
产品参数	Storage validity period: 1 year
Product	Storage grade: 11(Non-combustible solid
parameters	Transportation rules: According to the transportation regulations, the product is non-hazardous

请注意不要长时间与皮肤直接接触，避免进入眼睛或口中；
如沾上皮肤，请迅速用水和肥皂水清洗；
如误入眼睛，请立即用大量清水冲洗；
如误入口中，请立即吐出，洗漱口腔，并接受医生治疗。
注意安全运输、储藏和处置化学品，遵守安全规定。

安全规范	Please note that it should not be in direct contact with the skin for a long time. Avoid getting it into the eyes or mouth.
Safety	If it gets on the skin, please wash it off quickly with water and soapy water.
Specifications	If it gets into your eyes by mistake, rinse immediately with plenty of water. If it accidentally enters your mouth, spit it out immediately, rinse your mouth and seek medical treatment from a doctor. Pay attention to the safe transportation, storage and disposal of chemicals and abide by safety regulations.

金砵宝科技集团有限公司

JTB Technology Group Co., LTD

中国 China

TEL: 400-772-5558

